```
File 275:Gale Group Computer DB(TM) 1983-2003/May 19
         (c) 2003 The Gale Group
File 621: Gale Group New Prod. Annou. (R) 1985-2003/May 19
         (c) 2003 The Gale Group
File 636: Gale Group Newsletter DB(TM) 1987-2003/May 19
         (c) 2003 The Gale Group
File 16:Gale Group PROMT(R) 1990-2003/May 19
         (c) 2003 The Gale Group
File 160: Gale Group PROMT(R) 1972-1989
          (c) 1999 The Gale Group
File 148: Gale Group Trade & Industry DB 1976-2003/May 19
          (c)2003 The Gale Group
File 624:McGraw-Hill Publications 1985-2003/May 20
          (c) 2003 McGraw-Hill Co. Inc
     15:ABI/Inform(R) 1971-2003/May 20
          (c) 2003 ProQuest Info&Learning
File 647:CMP Computer Fulltext 1988-2003/Apr W4
          (c) 2003 CMP Media, LLC
File 674:Computer News Fulltext 1989-2003/May W3
          (c) 2003 IDG Communications
 File 696:DIALOG Telecom. Newsletters 1995-2003/May 19
          (c) 2003 The Dialog Corp.
 File 369: New Scientist 1994-2003/May W1
          (c) 2003 Reed Business Information Ltd.
 File 112:UBM Industry News 1998-2003/May 20
          (c) 2003 United Business Media
 File 813:PR Newswire 1987-1999/Apr 30
          (c) 1999 PR Newswire Association Inc
 File 810:Business Wire 1986-1999/Feb 28
          (c) 1999 Business Wire
 ? ds
                 Description
                 TICKET? ? OR ENVELOPE? ? OR PACKAGE? ? OR MESSAGE? ? OR (E
         Items
 Set
       4825921
              OR ELECTRONIC OR COMPUTER? OR INTERNET OR ONLINE OR ON()LINE) -
 S1
               ()MAIL??? OR EMAIL???
                SENDER? ? OR ADDRESSER? ? OR (SENDING OR ADDRESSING OR TRA-
              NSMITTING)()(PARTY OR PARTIES OR ENTITY OR ENTITIES OR PERSON?
 S2
               ? OR INDIVIDUAL? ? OR USER? ? OR CLIENT? ?)
                RECIPIENT? ? OR RECEIVER? ? OR ADDRESSEE? ? OR RECEIVING()-
               (PARTY OR PARTIES OR ENTITY OR ENTITIES OR PERSON? ? OR INDIV-
 s3
               IDUAL? ? OR USER? ? OR CLIENT? ?)
                  IDENTITY OR IDENTITIES OR ID OR IDENTIFICATION OR IDENTIFY-
               ING()(DATA OR INFORMATION) OR ADDRESS?? OR NAME? ? OR PERSON?
  S4
               ? OR INDIVIDUAL? ? OR USER? ? OR ENTITY OR ENTITIES OR PARTY -
               OR PARTIES
                 ANONYM? OR PSEUDONYM? ? OR ALIAS?? OR MASK??? OR HIDDEN OR
               HID??? OR PRIVAT??? OR SECRET? OR CONFIDENTIAL? OR RESTRICT? -
        5662027
  S5
               OR UNDISCLOS? OR CONCEAL? OR OBSCUR? OR OBFUSCAT? OR DISGUIS?
               OR UNREVEAL? OR PRIVILEGED
                  ("NOT" OR T OR WITHOUT OR UN) (2W) (DISCLOS? OR REVEAL? OR I-
         600715
  S6
               DENTIF???? OR DIVULG? OR RELEAS? OR EXPOS?)
                  S2(5N)S5
           1142
  S7
                  S3(5N)S5
  S8
           5397
                  S7 (S) S8
            306
  59
                  S1(S)S7(S)S8
            199
                  ANONYM? OR PSEUDONYM? ? OR ALIAS?? OR MASK??? OR HIDDEN OR
  S10
         882653
               HID??? OR UNDISCLOS? OR CONCEAL? OR OBSCUR? OR OBFUSCAT? OR D-
  S11
               ISGUIS? OR UNREVEAL?
                  S2(5N)(S11 OR S6)
  S12
            369
                   S3(5N)(S11 OR S6)
           1350
  S13
```

. مسرد

S14	35	S12(S)S13
S15	77300	S4(5N)(S11 OR S6)
S16	102	S1(S)S2(S)S3(S)S15
S17	124	S14 OR S16
S18	91	RD (unique items)
C10	56	S18 NOT PD>19990326

,

(Item 1 from file: 275) DIALOG(R)File 275:Gale Group Computer DB(TM) 19/3,K/1 (c) 2003 The Gale Group. All rts. reserv.

(USE FORMAT 7 OR 9 FOR FULL TEXT) SUPPLIER NUMBER: 53691057 ****Dilbert Web Site Hacked By Alleged Spammer 02/01/99.

Newsbytes PM, NA

Feb 1, 1999 RECORD TYPE: Fulltext LANGUAGE: English LINE COUNT: 00065 823 WORD COUNT:

...disdain - except possibly Dogbert, Catbert and the pointy-haired boss - someone hacked into United Media's "Dilbert Zone" World Wide Web site to gain the ${\tt e}$ - ${\tt mail}$ addresses of people subscribed to the Web site's "List of the Day" (LOTD) feature. United Media's Universal Press Syndicate distributes the "Dilbert" comic...

...crack, she added. Last Friday, the hacker or hackers, more accurately known as a "cracker," apparently used the stolen list to create unsolicited list. The \mathbf{e} - \mathbf{mail} $\mathbf{message}$ informed users they had been signed up for a mailing list without their knowledge. In addition, they were invited to buy the list the cracker allegedly received from the site. Members of the LOTD list received a spam message , stating: "Hello, This is the ONElist Mailing List Communities service. You have been added by the moderators to the following list: lotd-secrets. (You are receiving this email because you have contributed to the Dilbert List of the Day sometime during the last 2 months)." The message continued: "Dear Dilbert LOTD contributor, How did I get your \mathbf{e} - mail address? The same way you can get the \mathbf{e} mail address of any LOTD contributor! Yes, you can now see LOTD contributors' e - mail addresses (the ones United Media says they keep in confidence!) right alongside their nicknames and entries... and not just for the last 5-6 days, or even the last 2 months, but all the way back to March 30th, 1998!" The person sending the message then listed a Web uniform resource locator (URL), where recipients are directed to an order form where they can buy addresses for the new mailing list with a credit card charge of \$5. The sender pointed out the service used to bill users' credit cards, Online Billing Services (OBS), was in no way affiliated with the ${\bf e}$ - ${\bf mail}$. The alleged spammer or spammers also indicated they were not affiliated with United Media. Then to make money off of the alleged stolen LOTD list of e - mail addresses, the alleged cracker/spammer used come-ons like, "Find out who Smartacus is! Send email directly to Bizzaro! Unveil Lecherous Leroy, Buffbabe, and more," with each capitalized name representing the alias of a LOTD member. Apparently, the cracker started the list through the free Web-based ONElist e - mail community service, where Netizens can start and manage new communities, or subscribe to existing communities. The cracker then apparently added LOTD members to the list...

...s page at the OBS site, was not answered by Newsbytes' PM Edition deadline. Newsbytes reader John Pilge of Soquel, Calif., said he received the ${f e}$ - ${f mail}$ Friday evening while in the middle of an online session. The message was apparently sent out just once, as Mr. Pilge said he received only one spam piece of \mathbf{e} - \mathbf{mail} . "My hope is that the spammer... will not gain from his efforts at cracking and spamming," Pilge said in an e - mail -based interview. Pilge is also critical of United Media. "I trusted them," he said. "I actually gave them my real $\,\mathbf{e}\,$ - $\,\mathbf{mail}\,$ address each time I added a comment to the list of the day. I cannot trust them anymore. Aside from a few messages that say the list is down, try again later, they have not

mentioned anything about improved security (or) deleting the database of $\ensuremath{\mathbf{e}}$ - mails , nor have they taken any action against the spammer." But his faith is not shaken in the comic strip, where management is clueless and cubicle...

(Item 2 from file: 275) 19/3,K/2 DIALOG(R) File 275: Gale Group Computer DB(TM) (c) 2003 The Gale Group. All rts. reserv.

(USE FORMAT 7 OR 9 FOR FULL TEXT) SUPPLIER NUMBER: 20918344 02198377 ****Washington Anti-Spam Law Works, Man Collects \$200.

Newsbytes, n141, pNEW07160025

July 16, 1998

RECORD TYPE: Fulltext LANGUAGE: English LINE COUNT: 00065 WORD COUNT: 797

do so under the Netizens Protection Act. Earlier this week, a report released by the US Federal Trade Commission (FTC) recommended that senders of junk ${\bf e}$ - ${\bf mail}$, or spam, should not be allowed to use false, or ldisguised return addresses which prohibit the recipient from responding directly to the junk mail sender

While the report recommends further restrictions on unsolicited emailers, the report, citing First Amendment concerns by the ACLU, the Direct Marketing Association and other...

(Item 3 from file: 275) 19/3,K/3 DIALOG(R)File 275:Gale Group Computer DB(TM) (c) 2003 The Gale Group. All rts. reserv.

(USE FORMAT 7 OR 9 FOR FULL TEXT) SUPPLIER NUMBER: 20910526 02197291 ****FTC Coalition Seeks To Cut Down On Spam.

Newsbytes, n139, pNEW07140035

July 14, 1998

RECORD TYPE: Fulltext LANGUAGE: English LINE COUNT: 00069 WORD COUNT:

coalition of companies and organizations ranging from American Online and AT&T to the Direct Marketing Association and the American Civil Liberties Union, recommended that senders of junk e - mail, or "spam," should not be allowed to use false, or disguised return addresses which prohibit the recipient from responding directly to the junk mail sender . Most junk e - mailers hide their true online identity to avoid being "spammed" themselves by thousands of complaints from those receiving the unwanted and unsolicited e - mail , generally asking the recipient to respond to a Web site.

"If every business that was sending out unsolicited commercial e-mail had to hear back from all the 300...

(Item 4 from file: 275) DIALOG(R)File 275:Gale Group Computer DB(TM) (c) 2003 The Gale Group. All rts. reserv.

(USE FORMAT 7 OR 9 FOR FULL TEXT) SUPPLIER NUMBER: 20494843 Big plans for Big Blue. (IBM develops software based on Windows NT) (Company Business and Marketing) Fawcett, Neil

Computer Weekly, p36(2)

April 2, 1998

RECORD TYPE: Fulltext LANGUAGE: English ISSN: 0010-4787

LINE COUNT: 00135 1777 WORD COUNT:

move around various devices.

IBM cites advantages of Tspaces. Data is dc-coupled from programs: it can outlive its producer and be produced before the receiver exists.

Communication is anonymous: the sender need not know about the receiver, and vice-versa. They only need to know about tuple space, which mediates all communication.

Communication is asynchronous: the...

(Item 5 from file: 275) 19/3,K/5

DIALOG(R)File 275:Gale Group Computer DB(TM)

(c) 2003 The Gale Group. All rts. reserv.

(USE FORMAT 7 OR 9 FOR FULL TEXT) SUPPLIER NUMBER: 19979607 02118479

New frontier for Java. (security architecture in Java Development Kit 1.2) (Company Business and Marketing)

Kerstetter, Jim; Moeller, Michael

PC Week, v14, n47, p16(1)

Nov 10, 1997

RECORD TYPE: Fulltext; Abstract LANGUAGE: English ISSN: 0740-1604

LINE COUNT: 00050 WORD COUNT: 588

it is being sent and automatically decrypts it as it is being downloaded on the receiver's desktop.

The encryption process happens automatically and is hidden from both the sender and receiver . Critical for that to work, however, will be digital signatures that authenticate both the sender and the receiver.

JCE 1.2 also supports Secure Sockets...

(Item 6 from file: 275) 19/3,K/6

DIALOG(R)File 275:Gale Group Computer DB(TM)

(c) 2003 The Gale Group. All rts. reserv.

(USE FORMAT 7 OR 9 FOR FULL TEXT) SUPPLIER NUMBER: 19932183 02114736

America Online Escalates War On Spam.

Newsbytes, pNEW10290046

Oct 29, 1997

RECORD TYPE: Fulltext LANGUAGE: English

LINE COUNT: 00036 WORD COUNT: 435

the most common ways junk e-mailers acquire screen names, among other bits of information.

For parents who want to protect their kids from junk ${\tt e}$ - ${\tt mail}$ and ${\tt e}$ - mail from unknown sources, AOL already has in place Parental Controls that enable parents to create an approve/deny e - mail recipient and sender lists for their children's online aliases , or screen names .

AOL's Mail Control and information on junk e-mail is available at Keyword: Junk Mail.

AOL's Web site is at http://www.aol...

(Item 7 from file: 275) 19/3,K/7

DIALOG(R) File 275: Gale Group Computer DB(TM)

(c) 2003 The Gale Group. All rts. reserv.

(USE FORMAT 7 OR 9 FOR FULL TEXT) SUPPLIER NUMBER: 19765583 02102041 Mustang rounds up E-mail. (Mustang Software Internet Message Center) (Software Review) (Evaluation)

Kramer, Matt

PC Week, v14, n39, p71(1)

Sep 15, 1997

ISSN: 0740-1604 .LANGUAGE: English DOCUMENT TYPE: Evaluation

RECORD TYPE: Fulltext; Abstract

LINE COUNT: 00060 WORD COUNT: 729

ABSTRACT: Mustang Software's \$1,500-per-server Internet Message Center (IMC) acts like a call center for ${\bf E}$ - ${\bf mail}$, simplifying internal routing and improving responses to customer requests. Tests show it reliably redirects mail coming into alias addresses such as 'marketing' to appropriate recipients , but its two-step process for distributing and reading mail can be convoluted. The package consists of an IMC Service server that runs under Windows NT and communicates with respondents and an IMC Agent program on each respondent's PC. Receiving an incoming message requires running the IMC Agent software to determine if the Service has sent any messages; the messages are then forwarded to the E - mailaddress of a specific user and require bringing up an E - mail client. Installation is very easy, and the program does a good job of tracking message status. It generates tracking numbers that let senders check the status of their inquiries. A pool of software agents effectively handles requests for a particular alias.

(Item 8 from file: 275) 19/3,K/8

DIALOG(R) File 275: Gale Group Computer DB(TM) (c) 2003 The Gale Group. All rts. reserv.

(USE FORMAT 7 OR 9 FOR FULL TEXT) SUPPLIER NUMBER: 19682452 02092615 Secure e-mail. (S/MIME e-mail utilities from Frontier Technologies, ConnectSoft, OpenSoft, Baltimore Technologies, Netscape and Deming Internet Security) (includes related articles on the editors' choice, anonymous remailers and the performance tests) (Your Personal Internet) (Software Review) (Cover Story) (Evaluation)

Canter, Sheryl

PC Magazine, v16, n15, p171(4)

Sep 9, 1997

ISSN: 0888-8507 LANGUAGE: DOCUMENT TYPE: Cover Story Evaluation

RECORD TYPE: Fulltext; Abstract English

LINE COUNT: 00222 2793 WORD COUNT:

we tested (not including WorldSecure Client), only ConnectSoft's E-Mail Connection passed the tests.

Related article: Yours Truly, Anonymous

S/MIME offers security to e - mail recipients by providing a way to verify the sender 's identity. But what if the sender prefers to remain anonymous? Anonymous remailers let you send e - mail and post messages to newsgroups without revealing your identity.

Basically, anonymous remailers are free services that strip off identifying header information before sending a message on its way. You send your message via the remailer, and the remailer takes care of the

There are two types of anonymous remailers: pseudo-anonymous and anonymous. Pseudo-anonymous remailers...

...of the remailer operator, who knows both your identity and the

recipient's identity. The operator could be forced by court order to reveal your identity .

Truly anonymous remailers fall into two categories: Cypherpunk remailers and Mixmaster remailers, the latter being more secure. Both use two or more hops between the source and...

...does not know the destination, and the operator at the last hop does not know the source. Mixmaster remailers further prevent monitoring by parsing all messages into packets of equal size, which are reassembled at the final hop before going on to their final destination.

As Internet e-mail grows in...

19/3.K/9 (Item 9 from file: 275)

DIALOG(R) File 275: Gale Group Computer DB(TM) (c) 2003 The Gale Group. All rts. reserv.

SUPPLIER NUMBER: 19613932

Bypass e-mail gateways with Tumbleweed Posta. (Tumbleweed Software's document delivery software) (Software Review) (Evaluation)

Ryan, Pat

InfoWorld, v19, n29, p60F(1)

July 21, 1997 DOCUMENT TYPE: Evaluation ISSN: 0199-6649 LANGUAGE: English

RECORD TYPE: Abstract

ABSTRACT: Tumbleweed Software's \$3,999 Posta document delivery software performs reliably and gives users the ability to track E - mail , but it is probably not necessary for casual exchanges. Posta places most of the burden on the sender 's server, which holds the message to be sent. The server sends the recipient an E - mail that provides the URL of the stored document. Users can then paste the URL into their browsers and go to the stored document. The program...

...the software using the changes described in the documentation. The software also takes over the name of the server on which it is installed, although users may edit the domain name alias in with the Internet Information Server. The elegant interface and security features are excellent.

(Item 10 from file: 275) 19/3,K/10

DIALOG(R) File 275: Gale Group Computer DB(TM)

(c) 2003 The Gale Group. All rts. reserv.

SUPPLIER NUMBER: 19143342 (USE FORMAT 7 OR 9 FOR FULL TEXT) Lesson 103: e-mail and SMTP. (Internet/Web/Online Service Information) Chae, Lee

LAN Magazine, v12, n3, p27(2)

March, 1997

LANGUAGE: English RECORD TYPE: Fulltext; Abstract ISSN: 1069-5621

WORD COUNT: 2048 LINE COUNT: 00152

that services the recipient specified in the Rcpt To e-mail address.

If at any point along the way an MTA can't deliver the e - mail --for whatever reason (for instance, if it can' t identify the recipient address), it generates an error report, also known as an undeliverable marl notification. The MTA uses MTAs identified in the return path to relay the error report back to the original sender .

SMTP can handle only messages containing the 7-bit ASCII text defined in RFC 822. This means that alone, SMTP is ill...

(Item 11 from file: 275) DIALOG(R)File 275:Gale Group Computer DB(TM) (c) 2003 The Gale Group. All rts. reserv.

(USE FORMAT 7 OR 9 FOR FULL TEXT) SUPPLIER NUMBER: 18665869 Finnish Anonymous Internet Remailer Closed. 01978517

Newsbytes, pNEW09030048

Sep 3, 1996

RECORD TYPE: Fulltext LANGUAGE: English LINE COUNT: 00062 753 WORD COUNT:

The service accepted ${\bf e}$ - ${\bf mail}$ from users, stripped out all identity of the original sender and mailed it onto the recipient, replacing the sender 's real address with an anonymous address on the system. The recipient could send mail back, but only via the anonymous address so the sender 's identity was kept secret.

With half a million registered accounts, the service was the most popular of its kind in the world and used for numerous...

(Item 12 from file: 275) 19/3,K/12 DIALOG(R)File 275:Gale Group Computer DB(TM) (c) 2003 The Gale Group. All rts. reserv.

SUPPLIER NUMBER: 17015107 (USE FORMAT 7 OR 9 FOR FULL TEXT) Anonymity has its place. (questions concerning on-line anonymity arise) (Law & Technology) (Column)

Ubois, Jeff MIDRANGE Systems, v8, n8, p28(1)

April 28, 1995 DOCUMENT TYPE: Column LANGUAGE: ENGLISH ISSN: 1041-8237

RECORD TYPE: FULLTEXT; ABSTRACT

LINE COUNT: 00057 645 WORD COUNT:

...ABSTRACT: raised calls for eliminating anonymity online, particularly on the Internet, but now new networking technologies seem to be taking anonymity to new levels. Any Internet E - mail user can can achieve anonymity by using remailers to strip sender ID information from messages and to forward these messages . A popular remailer operating in Finland assigns pseudonyms to its users so that recipients can reply to messages . The system, which essentially functions as a mail forwarding system, handles about 7,000 messages per day and operates outside US jurisdiction. Encrypted messages can be sent through several remailers to guarantee anonymity. Anonymity provides the privacy, security and confidentiality necessary for keeping freedom alive under repressive

forward those messages on to their intended recipients. governments, but...

One of the most popular remailers, located in Finland, is operated by Johan Helsingius. This remailer assigns pseudonyms to its users so that message recipients can reply to the original sender -- think of it as a mail forwarding service. Helsingius' system now handles about 7,000 messages a day, and its location puts it beyond the control of U.S. authorities.

For the truly paranoid, encrypted messages can be sent through several

(Item 13 from file: 275) 19/3,K/13 DIALOG(R) File 275: Gale Group Computer DB(TM) (c) 2003 The Gale Group. All rts. reserv.

(USE FORMAT 7 OR 9 FOR FULL TEXT) SUPPLIER NUMBER: 14207743 Communications privacy: implications for network design.

Rotenberg, Marc

Communications of the ACM, v36, n8, p61(8)

August, 1993

RECORD TYPE: FULLTEXT; ABSTRACT LANGUAGE: ENGLISH ISSN: 0001-0782 LINE COUNT: 00594 WORD COUNT: 7065

and existence is known only to the parties to the communication. Assuming that a communication is confidential, subsequent disclosure can be attributed to either the sender or the recipient of the message . Where a communication occurs between multiple parties, the expectation of confidentiality may be diminished as it is more difficult to determine who is responsible for...

(Item 14 from file: 275) 19/3,K/14 DIALOG(R)File 275:Gale Group Computer DB(TM) (c) 2003 The Gale Group. All rts. reserv.

(USE FORMAT 7 OR 9 FOR FULL TEXT) SUPPLIER NUMBER: 13717289 The Windows Sources catalog. (catalog to software packages in seven categories) (Buyers Guide)

Dennis, Kathryn Windows Sources, v1, n4, p495(15)

LANGUAGE: ENGLISH May, 1993 ISSN: 1065-9641 DOCUMENT TYPE: Buyers Guide

RECORD TYPE: FULLTEXT; ABSTRACT

LINE COUNT: 00951 11017 WORD COUNT:

VINCI, 919-781-5924 Fax: 919-787-3550 \$99

Requires: 1.2MB RAM

Uses MHS to enable users in distant locations to send and receive messages and files with office personnel. Optionally allows any gateway on LAN to be available to remote users. Creates local alias to represent remote user and encrypts e - mail message with password known only to sender and receiver .

DIGITAL EQUIPMENT CORP. 800-332-4636, 508-493-5111 Fax: 508-493-8780 \$550 per user

Requires: 4MB RAM, 4.5MB...

(Item 15 from file: 275) 19/3,K/15 DIALOG(R)File 275:Gale Group Computer DB(TM) (c) 2003 The Gale Group. All rts. reserv.

(USE FORMAT 7 OR 9 FOR FULL TEXT) SUPPLIER NUMBER: 11361947 Lotus's Open Messaging Interface. (Lotus Development Corp.)

RELease 1.0, v91, n9, p3(5)

Sept 30, 1991

RECORD TYPE: FULLTEXT LANGUAGE: ENGLISH ISSN: 1047-935X

WORD COUNT: 2511 LINE COUNT: 00189

TEXT:

...to point out, is lack of support for the full (proprietary) facilities of any single one. Specifically, he says, OMI doesn't support OLE within message bodies, just in attachments. Nor does it support forthcoming security features of Windows (how could it?). What you see isn't what I see The...

...Open Messaging Interface, for example, there are three forms in which it will be available (if Lotus's crusade works): * as part of a mail package such as Notes or cc:Mail, callable both by its own user agent and by other applications and user agents; * as part of an operating...

...started early this year when Lotus started to build a consistent interface for the mail engines within cc:Mail and Notes, as well as the message manager it is developing for IBM within OS/2. That would allow its other applications, 1-2-3, Ami Pro and FreeLance, as well as...s Object Request Broker (ORB) is itself a network/operating system-type service: It manages dynamic binding of methods (code) to objects, the flow of messages among objects and transfers **messages** to and from remote systems. It may itself call upon both kernel services and other objects, such as a database that manages names, code modules or system locations, to perform its tasks. The Object Request Broker also decrees interface specs, defining how messages should be addressed, how selection parameters should be expressed and so on for any ORB to handle them. There will be multiple implementations of the ORB for each platform/OS combination. Thus the ORB is not an operating system, but a message -manager that sits on top of a variety of operating systems (and partly takes away the proprietary advantages of any OS). It also handles dynamic...

...you look at the announcement carefully, you can see it's a UNIX kernel plus object-oriented user interface tools plus ToolTalk, a cross-platform message -handling system (sort of a precursor to the ORB). But most of the object-oriented modules that ToolTalk will allow you to use vill come...

...implementation of the Open Messaging Interface (a front-end to the existing UNIX mail server). OMI - interface for a mail broker While the ORB handles messages among objects, OMI mail services handle the larger-scale messages that people send to each other. However, there's more similarity than one might think at first, and agents for humans will increasingly get into the act, both as recipients and senders of messages . (See the discussions of Beyond Mail and Wijit; Release 1.0, 11-90.) A message might be sent to an application requesting a certain set of data, or an application might check some data periodically and send a user a message when it reached certain values (or ratios). But these messages typically have a human at one end or the other, as opposed to object-oriented messages between applications. Client-side tasks The OMI spec is an interface both to server tasks of e - mail , such as transport, remote delivery or address resolution, and to client-side tasks.(1) Client-side (or user-agent) tasks include local storage and classification of messages in "folders;" address-book management of a database of names , aliases and addresses , optionally extendable to include parameters such as interests of a recipient , group membership, rank, customer priority or whatever matters to a user; tickler files; and forwarding in the user sense. (On the server, "forward" means moving a message from mail-server to mail-server; at the client, it means, say, "Take this message addressed to me and send it on to Juan and copy it to Alice.) Any application can take advantage of these generic services without bothering

. . .

(Item 16 from file: 275) 19/3,K/16 DIALOG(R) File 275: Gale Group Computer DB(TM) (c) 2003 The Gale Group. All rts. reserv.

(USE FORMAT 7 OR 9 FOR FULL TEXT) SUPPLIER NUMBER: 07942464 The best of all worlds: Consumers Software Inc., PC Postoffice, \$875 (for 4-user system). (Software Review) (one of five evaluations of private electronic mail programs) (evaluation)

Van Name, Mark L.; Catchings, Bill; Tracy, Martha

PC Week, v6, n48, p65(2)

Dec 4, 1989

LANGUAGE: ENGLISH ISSN: 0740-1604 DOCUMENT TYPE: evaluation

RECORD TYPE: FULLTEXT; ABSTRACT

LINE COUNT: 00049 606 WORD COUNT:

messages can either display these attachments from within Modem Mail or store them in DOS files.

PC Postoffice supports both private and public mailing lists.

senders can select recipients from a menu of known users . Message aliases can make it even easier to address messages .

When the central PC Postoffice's user list changes, it can update the User user list on each remote Modem Mail system.

PC Postoffice also offers...

(Item 17 from file: 275) 19/3,K/17 DIALOG(R) File 275: Gale Group Computer DB(TM) (c) 2003 The Gale Group. All rts. reserv.

(USE FORMAT 7 OR 9 FOR FULL TEXT) SUPPLIER NUMBER: 06617088 Citicorp takes the lead in addressing E-mail security. (electronic mail) (Connectivity section)

Kramer, Matt PC Week, v5, n35, pC1(2)

Aug 29, 1988 RECORD TYPE: FULLTEXT; ABSTRACT LANGUAGE: ENGLISH ISSN: 0740-1604 LINE COUNT: 00069 WORD COUNT: 850

... ABSTRACT: signatures to verify the identity of a message sender, and a 'double-envelope' so that a sender can place one message in another and so hide the recipient 's identity . Citicorp's use of MailSafe is reviewed. password; now there will be very convincing evidence of someone's identity."

The new standards also provide for such opinion as "double enveloping," enabling a sender to place a message inside another message in order to hide the intended recipient 's identity, according to Mr. White.

Encryption has become a priority for Citicorp's Citimail internal E-mail service for the bank and its international subsidiaries. With...

(Item 18 from file: 275) 19/3,K/18 DIALOG(R)File 275:Gale Group Computer DB(TM) (c) 2003 The Gale Group. All rts. reserv.

(USE FORMAT 7 OR 9 FOR FULL TEXT) SUPPLIER NUMBER: 06161628 Tech releases: Connections. (new microcomputer communications equipment) (column)

PC Tech Journal, v6, n1, p38(3)

Jan, 1988

ISSN: 0738-0194 LANGUAGE: ENGLISH DOCUMENT TYPE: column

RECORD TYPE: FULLTEXT

LINE COUNT: 00096 1187 WORD COUNT:

use of modems. Async/APPC is compatible with all other NSA LU6.2 products. \$285.

Support for Microsoft Windows/386 for the Network Courier, an lelectronic mail system, has been announced by Consumers Software, Inc. The Network Courier features support for as many as 150 users per post office, automatic address list exchange for sharing local user address lists with other networks within a company, support for aliases and group names , notification to sender when the message has been read by receiver , access by remote PC users, and adherence to CCITT X.400 protocol. The Windows/386 version of Network Courier allows users of character and graphics-based applications to coexist and share messages and files on the same LAN. The user is notified of mail as it arrives by the appearance of a flashing mail icon. Even messages originating on external systems, such as IBM Profs or other remote Network Courier LAN, give instant notification of arrival. Single-copy, 6-user version, \$295...

(Item 1 from file: 621) 19/3,K/19 DIALOG(R)File 621:Gale Group New Prod.Annou.(R) (c) 2003 The Gale Group. All rts. reserv.

Supplier Number: 40272105 (USE FORMAT 7 FOR FULLTEXT) TECHNOLOGY OF THE TELE: TWO-LENS SYSTEM ADDS PICTURE-TAKING EASE TO NEW KODAK S900 TELE CAMERA

News Release, pl Jan 21, 1988

Record Type: Fulltext Language: English Document Type: Magazine/Journal; Trade

Word Count: 916

> actuation of the shutter release.

- The camera automatically senses film ISO speed with DX coded film magazines.
- The S900 tele camera's auto focus infrared sender and receiver are hidden

by a tinted polycarbonate window on the face of the camera to help protect them from dust or other foreign matter.

The S900 tele camera...

(Item 1 from file: 636) 19/3,K/20 DIALOG(R)File 636:Gale Group Newsletter DB(TM) (c) 2003 The Gale Group. All rts. reserv.

Supplier Number: 50154367 (USE FORMAT 7 FOR FULLTEXT) ****FTC Coalition Seeks To Cut Down On Spam 07/14/98

Pietrucha, Bill Newsbytes, pN/A July 14, 1998

Record Type: Fulltext Language: English

Article Type: Article

Document Type: Newswire; General Trade

Word Count:

coalition of companies and organizations ranging from American Online and AT&T to the Direct Marketing Association and the American Civil Liberties Union, recommended that senders of junk e - mail, or "spam," should not be allowed to use false, or disguised return addresses which prohibit the recipient from responding directly to the junk mail sender . Most junk e - mailers hide their true online identity to avoid being "spammed" themselves by thousands of complaints from those receiving the unwanted and unsolicited e - mail , generally asking the recipient to respond to a Web site.

"If every business that was sending out unsolicited commercial e-mail

had to hear back from all the 300...

(Item 2 from file: 636) 19/3,K/21

DIALOG(R) File 636: Gale Group Newsletter DB(TM) (c) 2003 The Gale Group. All rts. reserv.

Supplier Number: 50084596 (USE FORMAT 7 FOR FULLTEXT) 03903088

NEW MEDIA

Communications Daily, v18, n117, pN/A

June 18, 1998

Record Type: Fulltext Language: English

Document Type: Newsletter; Trade

Word Count: 618

(USE FORMAT 7 FOR FULLTEXT)

TEXT:

Thousands of daily junk e - mails threaten to congest Internet, force construction of new networks and raise cost of using service for consumers, Senate Communications Subcommittee hearing Wed. was told by lawmakers and panelists. Panelists generally agreed that unsolicited bulk f e - mail , which they said represents 30% of all e - mail traffic, is among "most serious" issues facing Internet. They also expressed concern that many spammers hide their identities, falsify return addresses, refuse to stop sending e - mails upon request. FTC Comr. Sheila Anthony said agency's e - mail basket where consumers can forward fraudulent junk e mail has collected more than 100,000 messages and receives 1,500 daily. America Online Assoc. Gen. Counsel Randall Boe said "problem is not just that junk e - mail tends to promote hoaxes, scams and get-rich schemes, it is the sheer volume that confronts many users every time they open their mailbox." Another problem is that costs are paid by receiver -- not sender -- unlike traditional junk mail. Commercial e - mailers can send thousands of messages inexpensively and consumers bear cost through more time spent online or higher monthly charges. But lawmakers and panelists, while agreeing that spamming restrictions in antislamming...

...and Chmn. Burns (R-Mont.) agreed. Center for Democracy & Technology Council Deirdre Mulligan praised bill as good first step, but worried that "definition of commercial e - mail is overbroad and may unconstitutionally prohibit anonymous, noncommercial speech." Rep. Smith (R-N.J.), who testified, advocated more spamming curbs and promoted proposed Netizens Protection Act (HR-1748) that would extend antijunk fax law to spam. He was supported by Ray Everett-Church of Coalition Against Unsolicited Commercial E - mail . -----

(Item 3 from file: 636) 19/3,K/22 DIALOG(R)File 636:Gale Group Newsletter DB(TM) (c) 2003 The Gale Group. All rts. reserv.

Supplier Number: 50039663 (USE FORMAT 7 FOR FULLTEXT) -UPS: Innovative web resource to promote wider understanding and adoption of E-commerce solutions

M2 Presswire, pN/A

May 28, 1998

Record Type: Fulltext Language: English

Document Type: Newswire; Trade

Word Count: 1468

(USE FORMAT 7 FOR FULLTEXT)

...provides two distinct types of service. UPS OnLine Dossier is a unique TEXT: double encryption process for maximum security from initial transmission to opening by the receiver, as well as authentication of sender and receiver . UPS OnLine Courier is a sender -driven service with multiple security options, works on the web site or as a client application, and requires no special software at the receiver 's computer. In addition, the UPS web site (www.ups.com) is a highly interactive site, allowing visitors to track packages and documents, calculate and compare shipping costs for the various UPS services, request a package pickup, order shipping supplies and determine the nearest drop-off location. UPS is the world's largest express carrier and package delivery company, offering an unmatched array of products and services. With headquarters in Atlanta, the company operates in more than 200 countries and territories, has...

...turn a web site into a powerful sales channel. Through hosting and transaction services like AT&T EasyWorld Wide Web, AT&T Enhanced Web Development Package , and AT&T SecureBuy Services, merchants have the ability to design and build basic or cutting-edge interactive sites, set up an electronic store or...

... The sites are hosted on IBM servers and IBM offers free site registration on 16 top search engines as well as support for custom domain name or site alias . Also available is IBM Net.Commerce, ...It features Web-based authoring, administration and customizing tools, has three pre-built sample stores with predefined catalog templates, and supports Domino Web server for e - mail and discussion groups, as well as messaging order fulfillment or confirmation of the order to the buyer. It is available in English, Spanish, French, German...

...customer service. Open Market and UPS joined together to develop an integrated logistics and fulfillment module called the UPS Logistics Gateway whereby users can prepare packages for shipment through an interface with UPS OnLine Professional shipping software and can track packages with a standard UPS tracking number or a reference number assigned when an order is placed. Transact customers have the option of licensing and operating...

(Item 4 from file: 636) 19/3,K/23 DIALOG(R)File 636:Gale Group Newsletter DB(TM) (c) 2003 The Gale Group. All rts. reserv.

Supplier Number: 48084821 (USE FORMAT 7 FOR FULLTEXT) 03738692 America Online Escalates War On Spam 10/29/97 Woods, Bob Newsbytes, pN/A Oct 29, 1997

Language: English Record Type: Fulltext

Document Type: Newswire; General Trade

Word Count: 405

... the most common ways junk e-mailers acquire screen names, among other bits of information.

For parents who want to protect their kids from junk ${\bf e}$ - mail and ${\bf e}$ - mail from unknown sources, AOL already has in place Parental Controls that enable parents to create an approve/deny ${\bf e}$ - mail recipient and sender lists for their children's online aliases, or screen names.

AOL's Mail Control and information on junk e-mail is available at Keyword: Junk Mail.

AOL's Web site is at http://www.aol...

19/3,K/24 (Item 5 from file: 636)
DIALOG(R)File 636:Gale Group Newsletter DB(TM)
(c) 2003 The Gale Group. All rts. reserv.

03257119 Supplier Number: 46682459 (USE FORMAT 7 FOR FULLTEXT) Finnish Anonymous Internet Remailer Closed 09/03/96

Newsbytes, pN/A Sept 3, 1996

Language: English Record Type: Fulltext Document Type: Newswire; General Trade

Word Count: 730

The service accepted **e - mail** from users, stripped out all identity of the original **sender** and mailed it onto the **recipient**, replacing the **sender** 's real **address** with an **anonymous address** on the system. The **recipient** could send mail back, but only via the **anonymous address** so the **sender** 's **identity** was kept secret.

With half a million registered accounts, the service was the most popular of its kind in the world and used for numerous...

19/3,K/25 (Item 6 from file: 636)
DIALOG(R)File 636:Gale Group Newsletter DB(TM)
(c) 2003 The Gale Group. All rts. reserv.

02841024 Supplier Number: 45760437 (USE FORMAT 7 FOR FULLTEXT)
Opportunities for mischief on the Internet

Computer Fraud & Security Bulletin, pN/A

Sept 1, 1995

Language: English Record Type: Fulltext

Document Type: Newsletter; Trade

Word Count: 889

Peter Neumann, SRI International. Abusive messages, deluge of messages * Flame. To insult via an abusive message. If conferees take exception to what you say, you can get thousands of offensive messages. * Spamming. This is posting or spraying out messages to every newsgroup or E - mail address, not unlike flinging canned meat into the blades of fan. This a breach of etiquette, and the electronic counterpart of junk mail. Slander, inflammatory...

...what you want in a Usenet Conference, but you may regret it. There is the pressure of 'public' opinion. For example, you may get a **message** with the salutation: Dear Clueless Idiot. Use your imagination; this is mild. Prodigy3 has what they call George Carlin4 software that finds **messages**

with objectionable words and warns those who sent them to erase them or their messages will be censored. Of course, it is possible to send objectionable material without using objectionable words. (Be fruitful and multiply, but not in those words.) Impersonation You can log on with another user's ID and authentication information and recipients of messages will mistake you for another. This can be done on any computer system, not just the Internet. Anonymity * Good data security systems can link actions...

...to antisocial acts. Anonymity protects perpetrators who may fear reprisal or confrontation.5 * Temporary anonymity can be arranged by setting up a bogus system (site name) or an anonymous network. Either of these alternatives has the same risks as does the operation of a clandestine radio transmitter. The secret to remaining unidentified is not to stay 'on the air' too long. An anonymous 'server' - special computer sites on the Internet - will forward any piece of E - mail and eliminate the sender 's name . Thus you can have anonymity , but not to the administrator of the anonymous server. There are valid reasons for being anonymous, e.g. political newsgroups and newsgroups dealing with recovery

...unwanted advertising. Internet has been freewheeling, unregulated, and open to anyone. The anti-ad forces on Internet prevail so far. Advertise on the Usenet (a message posting system) and you will receive electronic mail bombs, harassing phone calls and graphic death threats. You will be enveloped in filthy language. Your home address may be posted on the Internet to millions of people, along with a suggestion that your house be burned down. Your name may be forged on a public message advocating the assassination of the President. The San Francisco Examiner July 5, 1994. Theft of identity Speculators have registered8 hundreds of previously unregistered Internet addresses...

... The many commercial Internet providers offer some control alternatives e.g. public key encryption. The United States Postal Service is preparing to put 'postmarks' on electronic mail . USPS would then become a 'trusted' party. This will give $\, {\bf E} \, - \, {\bf mail} \,$ the same federal legal protection as traditional mail. UPS will also offer public key encryption for privacy and authentication of the sender . USPS will work with online service providers and software houses to integrate applications. Later the service will offer time stamps, and guaranteed return receipts.10...

(Item 7 from file: 636) 19/3,K/26 DIALOG(R)File 636:Gale Group Newsletter DB(TM) (c) 2003 The Gale Group. All rts. reserv.

Supplier Number: 44630430 (USE FORMAT 7 FOR FULLTEXT) 02357988 BURLINGTON AIR EXPRESS TO HANDLE SHIPMENTS FOR IBM DE MEXICO Air Cargo Report, v1, n4, pN/A

April 28, 1994

Record Type: Fulltext Language: English

Document Type: Magazine/Journal; Trade

Word Count: 417

he a walk-in; is he referred; did he park his car in the normal spaces provided or did he walk in; and does the package have a false name or address, Humphrey noted. People use false names and addresses either to hide their location or to make it harder to track senders and receivers , he pointed out.

"Does the customer want to pay cash? Most people use business accounts

or credit cards to pay for shipments," Humphrey said. "Do...

(Item 1 from file: 16) 19/3,K/27 DIALOG(R)File 16:Gale Group PROMT(R) (c) 2003 The Gale Group. All rts. reserv.

Supplier Number: 45384983

Unmasked on the Net: The Finns raid a computer that ferries anonymous messages. Now users fear their secrets are at risk

Time, p72 March 6, 1995

Record Type: Abstract Language: English Document Type: Magazine/Journal; General

Johan Helsingius provides a service that may now be seen by users as insecure. His service, Penet started in 1992, provides InterNet users with an anonymous mailing address. Usually messages set by E - mailhave the senders address attached in order to provide recipients of the message with a return address. Helsingius' service stripped the senders address and used a randomly generated one. Correspondence could still be entered into by returning messages through the Penet. However, Finnish police, armed with a search warrant, recently obtained information about a sender. This has prompted 1 user of the service to request removal from Helsingius' database, other users have expressed support for the service.

(Item 2 from file: 16) 19/3,K/28 DIALOG(R) File 16: Gale Group PROMT(R) (c) 2003 The Gale Group. All rts. reserv.

Supplier Number: 45230215 03695555 DIRECT MARKETING- Buying Behavior in the UK Research Studies-ICC Key Notes, p1-69 Annual, 1995

Record Type: Abstract Language: English Document Type: Magazine/Journal; Trade

...read their mail, but do not respond to it. Among the regular bi-annual ABSTRACT: findings from the DMIS are the following: The DMIS claims that anonymous mailings (sender not known to recipient) are down from a 19% share of the mailbox in 1989 to 10% in 1993. A rising proportion of mail is perceived by the recipients...

(Item 3 from file: 16) DIALOG(R)File 16:Gale Group PROMT(R) 19/3,K/29 (c) 2003 The Gale Group. All rts. reserv.

Supplier Number: 41271161 (USE FORMAT 7 FOR FULLTEXT)

An End To Internet Eavesdropping?

CommunicationsWeek, p6

April 9, 1990

Record Type: Fulltext Language: English

Document Type: Newsletter; Trade

Word Count: 441

two main safeguards, according to Steve Crocker, area director for security in the Internet Engineering Task Force and vice president of TIS.

The service prevents messages from being read by anyone but the recipient, Crocker said, and it ensures that the sender and recipient are whom they say they are. That means that if a hacker intercepts a message , he can't read it. And a hacker or a computer worm program, for example, cannot be disguised as an authentic user . Each user will have a unique data "signature."

rivacy-Enhanced Mail is made up of two security algorithms--the well-known Data Encryption Standard (DES) and RSA...

(Item 1 from file: 148) 19/3,K/30 DIALOG(R)File 148:Gale Group Trade & Industry DB (c)2003 The Gale Group. All rts. reserv.

SUPPLIER NUMBER: 21012481

A spammer in the works. (unsolicited junk electronic mail) (includes related articles)

Meall, Lesley Accountancy, v122, n1259, p42(2) July, 1998

RECORD TYPE: Abstract LANGUAGE: English ISSN: 0001-4664

ABSTRACT: British companies are bearing the cost of unsolicited junk electronic mail sent to their employees. Called spams, these junk e mails range from chain letters to get-rich-quick schemes to harassing messages to mail with a virus in the attachment that can cause a computer system to crash. Aside from wasting the time of employees, spams waste the money of the company because the cost of downloading them is borne by the recipient . Unlike those who send junk mail, who at least have to pay the cost of printing and postage, senders of electronic junk mail pay virtually nothing for sending millions of unwanted mails. Fortunately, there are a number of techniques that people can use to combat spamming. These include not disclosing their e - mail address, using an e mail software that does not accept carbon-copied mail not specifically addressed to the user or direct suspicious mail to a separate folder, and refusing to answer junk e - mail .

(Item 2 from file: 148) DIALOG(R)File 148:Gale Group Trade & Industry DB 19/3,K/31 (c) 2003 The Gale Group. All rts. reserv.

(USE FORMAT 7 OR 9 FOR FULL TEXT) SUPPLIER NUMBER: 20162010 Web problems: is regulation the answer? (indecent materials over the World Wide Web)

Dyson, Esther Multichannel News, v18, n49, p86(5)

Dec 8, 1997 RECORD TYPE: Fulltext LANGUAGE: English ISSN: 0276-8593

LINE COUNT: 00585 WORD COUNT: 7494

in the U.S. Congress. One, sponsored by Rep. Chris Smith (R-NJ) and based on the U.S. junk-fax law, would make unsolicited e - mail illegal. It would let a company send one unsolicited e - mail and no more to each recipient; unfortunately, the worst spammers keep switching identities. The other bill, from Senator Frank Murkowski (R-Alaska), would require any sender to label unsolicited messages with a working return address and full physical address information, thus outlawing anonymity .

These laws don't make a lot of sense. For starters, they'll simply encourage spammers to move overseas. Moreover, they're vague, unenforceable, and...

(Item 3 from file: 148) 19/3,K/32 DIALOG(R) File 148: Gale Group Trade & Industry DB (c)2003 The Gale Group. All rts. reserv.

(USE FORMAT 7 OR 9 FOR FULL TEXT) SUPPLIER NUMBER: 19773632 Caught in the Web: combatting work stress in the information age. Statland, Bernard E.

Medical Laboratory Observer, v29, n8, p82(8)

August, 1997

RECORD TYPE: Fulltext; Abstract LANGUAGE: English ISSN: 0580-7247

LINE COUNT: 00393 WORD COUNT: 5164

of communication

Asynchronous Synchronous

- Letters Delayed

Telephone call Real time Face-to-face conversation E-mail Voice mail Video conferencing

Enter the world of e - mail . E - mail (electronic mail) can-be contrasted to regular mail (called snail-mail by its detractors). Postal mail relies on a series of intermediaries between sender and recipient . A letter is often dictated or written in long-hand, typed by a secretary, proofread, read a second or third time to be certain the right meaning is conveyed, and then mailed. A series of anonymous individuals handles the mail until it reaches the intended recipient . The letter's recipient digests the contents of the letter and responds within a day or two, or even longer, depending on whether she is away from the office...

(Item 4 from file: 148) 19/3,K/33 DIALOG(R) File 148: Gale Group Trade & Industry DB (c)2003 The Gale Group. All rts. reserv.

(USE FORMAT 7 OR 9 FOR FULL TEXT) SUPPLIER NUMBER: 17493628 Property and privacy in cyberspace. (includes related article)

Hurley, Deborah

OECD Observer, n196, p19(5)

Oct-Nov, 1995

RECORD TYPE: Fulltext; Abstract LANGUAGE: English ISSN: 0029-7054 LINE COUNT: 00283 WORD COUNT: 3352

accountability might hamper the ability to seek redress in the event of, say, defamation since the sender would not be identifiable * the right of a sender of a message to anonymity v. the right of the recipient not to receive unwanted messages, and the ensuing requirement for audit trails; using technological means to filter out some kinds of message may protect the...

(Item 5 from file: 148) DIALOG(R) File 148: Gale Group Trade & Industry DB (c)2003 The Gale Group. All rts. reserv.

SUPPLIER NUMBER: 19116744 (USE FORMAT 7 OR 9 FOR FULL TEXT) Pair of products protects e-mail and attachments. (Trend Micro's ScanMail

for Microsoft Exchange and Authentex Software's ThunderByte Anti-Virus for Microsoft Exchange Client anti-virus software) (Software Review) (Evaluation)

Drips, Michael InfoWorld, v19, n6, p83(1)

Feb 10, 1997

DOCUMENT TYPE: Evaluation ISSN: 0199-6649 LANGUAGE: English

RECORD TYPE: Fulltext; Abstract

WORD COUNT: 611 LINE COUNT: 00054

ABSTRACT: Trend Micro's \$995 ScanMail for Microsoft Exchange and Authentex Software's \$50 ThunderByte Anti-Virus for Microsoft Exchange Client anti-virus software packages both offer a solution for combating and detecting viruses delivered by way of e - mail. ScanMail operates on Exchange servers, repeatedly cleaning and scanning mail attachments. The product can also be configured to scan on demand. ScanMail scans both compressed files and mail attachments. ThunderByte protects users from viruses hiding in e - mail attachments or files accessed from a remote non-networked location. The product also sends a notice to both the recipient and the sender of the infected e - mail upon locating a virus.

19/3,K/35 (Item 6 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2003 The Gale Group. All rts. reserv.

07299055 SUPPLIER NUMBER: 15548857 (USE FORMAT 7 OR 9 FOR FULL TEXT) Mission improbable: seamless E-mail integration. (review of Worldtalk Corp's Worldtalk 400 Server and Gateways performance in connecting five E-mail packages on various platforms) (includes related articles on an executive summary, glossary of terms, table- and rule-based address translation, test methods and system configuration used) (Software Review) (Evaluation)

Petreley, Nicholas; Wonnacott, Laura; Irvin, Steve; Young, Tom InfoWorld, v16, n26, p125(8)

June 27, 1994

DOCUMENT TYPE: Evaluation ISSN: 0199-6649 LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT; ABSTRACT

WORD COUNT: 9764 LINE COUNT: 00788

.. when we added new users.

Once the users' X.400 addresses were in the database, we customized the users' aliases so that senders could address **messages** to **recipients** on other **E** - **mail** systems using the address format familiar to the **senders**. Our user directories were small enough and stable enough to make it easy to customize all the directory entries in a short amount of time. For the most part, we used simple "first **name** -last **name**" **aliases** to make addressing intuitive.

We noted at least one limitation with Worldtalk 400's alias manager and table-based addressing. You could accidentally add a...

19/3,K/36 (Item 7 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2003 The Gale Group. All rts. reserv.

06800063 SUPPLIER NUMBER: 14975913 (USE FORMAT 7 OR 9 FOR FULL TEXT) EDI for reengineering business processes. (electronic data interchange) Borthick, A. Faye; Roth, Harold P.

Management Accounting (USA), v75, n4, p32(6)

Oct, 1993

RECORD TYPE: FULLTEXT; ABSTRACT LANGUAGE: ENGLISH ISSN: 0025-1690

LINE COUNT: 00288 3508 WORD COUNT:

enough identifying information to be the sole basis for interchanges over communications networks. To permit interchange, a sequence of functional groups is put into an envelope beginning with an interchange header and ending with an interchange trailer. The interchange header/trailer identify the sender and the recipient to each other and to the communications network for routing and delivery.

Specifying the standards terminology. In EDI terminology, a data

field--quantity or price...

(Item 8 from file: 148) 19/3,K/37 DIALOG(R) File 148: Gale Group Trade & Industry DB (c) 2003 The Gale Group. All rts. reserv.

(USE FORMAT 7 OR 9 FOR FULL TEXT) SUPPLIER NUMBER: 08822106 U.S. Customs makes largest monetary instrument seizure in U.S. history; \$135 million in stolen British bonds. (United States Customs Service) PR Newswire, 0907DC003

Sept 7, 1990

RECORD TYPE: FULLTEXT LANGUAGE: ENGLISH LINE COUNT: 00044 WORD COUNT: 539

City of London Police. It was during these conversations that the bonds were positively identified as some of those stolen in the London robbery.

The package used to transport the stolen bonds has yielded the names and addresses of both the sender and receiver; however, both U.S. and British authorities are highly skeptical as to whether the names are real. The address used by the sender was a hotel in Miami. The address in Peru, though known, has not been identified .

The name used by the sender was Anthony Gallagher. Customs officials believe the person who dropped off the package in Miami, and who had an Irish accent, may have been Gallagher. The name used for the receiver is Adela Martinez, of Lima.

The U.S. Customs Service and the City of London Police will jointly investigate the continuing case. The bonds will...

(Item 1 from file: 624) 19/3,K/38 DIALOG(R)File 624:McGraw-Hill Publications (c) 2003 McGraw-Hill Co. Inc. All rts. reserv.

00934263

NRGG, TRIGEN MOVE PECO BATTLE TO PA.; CITE PECO E-MAILS IN ALLEGED SCHEMES Global Power Report (was Independent Power Report) April 17, 1998; Pg 1;

Vol. 332, No. 27

ISSN: 1095-6441/97 COG Journal Code:

*Full text available in Formats 5, 7 and 9*1,236 Word Count:

... PECO officials to destroy the contract and the project, according to NRGG and Trigen. In the federal case, they quoted internal PECO e-mails, whose senders and recipients were not always identified . A spokesman for NRGG said he could provide no further information on the e-mails, or on how the plaintiffs obtained them. He added that...

(Item 2 from file: 624) 19/3,K/39 DIALOG(R) File 624: McGraw-Hill Publications (c) 2003 McGraw-Hill Co. Inc. All rts. reserv.

NUG BATTLE ESCALATES AS DEVELOPERS ACCUSE PECO OF SUBVERTING PROJECT

Electric Utility Week April 13, 1998; Pg 1; Vol. 240, No. 19

EUW

*Full text available in Formats 5, 7 and 9*Journal Code: 1,395 Word Count:

... subsidiary already owns 33% of Grays Ferry.) These accusations, the developers contend, are illustrated by internal PECO e-mails quoted in the amended complaint, whose senders and recipients are not always fully identified in the document. A spokesman for NRGG said he could provide no further details on the e-mails, or on how the developers obtained them...

(Item 3 from file: 624) DIALOG(R)File 624:McGraw-Hill Publications 19/3,K/40 (c) 2003 McGraw-Hill Co. Inc. All rts. reserv.

0408896

Rivals Compete for E-mail Standards

Unix World July, 1992; Pg 89; Vol. IX, No. 7

ISSN: 0739-5922 UNIX Journal Code:

Section Heading: Standards *Full text available in Formats 5, 7 and 9*1,894 Word Count:

... user's account name. As with SMTP's DNS, the address is unique, but in X.400 it's stored in binary form in the e - mail 's header section. This means the header must be created by a special program called a "user agent," which encodes the address and packages the message contents for mailing. As a result, the user-agent software can request the address from the sender in any appropriate form, and the address details can be hidden from the sender if desired. In addition, because the body of an X.400 message can be binary, it's much easier to send non-text messages that must be re-encoded for SMTP mail-at least in theory.

In practice, although X.400 may be technically superior to SMTP mail, it . . .

(Item 1 from file: 15) 19/3,K/41

DIALOG(R)File 15:ABI/Inform(R)

(c) 2003 ProQuest Info&Learning. All rts. reserv.

01765271 04-16262

Consistent, yet anonymous, Web access with LPWA

Gabber, Eran; Gibbons, Phillip B; Kristol, David M; Matias, Yossi; Mayer,

Communications of the ACM v42n2 PP: 42-47 Feb 1999

ISSN: 0001-0782 JRNL CODE: ACM

WORD COUNT: 3725

...TEXT: UxonbznP@lpwa.com as his or her alias email address. Now the address database at example.com gets sold to spammers. As soon as the user gets the first piece of junk email, he or she can install a local mail filter for the string bdlYnEWOmot3CXUxonbznP. This will eliminate all caused by the selling of the database to spammers, while at the email from all other sites is unaffected. Most current same time anti-spam tools filter according to **sender** addresses or keywords, both of which are easily changed by spammers (such as address spoofing). Our method is the first to filter according to the recipient address. A spammer who bought the address database from example.com knows the user only as bd 1YnEWOmot3CX...

(Item 2 from file: 15) 19/3,K/42 DIALOG(R)File 15:ABI/Inform(R) (c) 2003 ProQuest Info&Learning. All rts. reserv.

01765269 04-16260

Anonymous Web transactions with crowds

Reiter, Michael K; Rubin, Aviel D

Communications of the ACM v42n2 PP: 32-38 Feb 1999

ISSN: 0001-0782 JRNL CODE: ACM

WORD COUNT: 4386

...TEXT: protocols are described in [8].

Anonymity Properties

Anonymous communication properties can be characterized on at least three different axes. The first is the type of anonymity . Here, we are sender anonymity and receiver anonymity, where the concerned with sender is a Web user and the receiver is the Web server. Sender anonymity means the identity of the party who sent a message (Web request) is hidden , while its receiver (and the message itself) might similarly means the identity of the not be. Receiver anonymity receiver (Web server) is hidden .

The second axis is against what adversaries each type of anonymity is provided. In our case, an adversary can be a Web server, other crowd...

... communication on that path) grows as the crowd size grows, it follows that the probability of absolute privacy approaches 1 as n grows, for both sender and receiver anonymity against c collaborating crowd members.

Third, use of the crowd offers receiver anonymity against an eavesdropper that can observe all (and only) communication involving the...

(Item 3 from file: 15) 19/3,K/43 DIALOG(R)File 15:ABI/Inform(R)

(c) 2003 ProQuest Info&Learning. All rts. reserv.

01478995 01-29983

Settlement risk in large-value payments systems

Shen, Pu

Economic Review (Federal Reserve Bank of Kansas City) v82n2 PP: 45-62

Second Quarter 1997

ISSN: 0161-2387 JRNL CODE: EKC

WORD COUNT: 9741

...TEXT: to implement DVP for equity security transactions, the payments system must be able to store much more information on the payment instruction. The instruction must not only identify the sender and the receiver (s) of a payment, but also specify the particular security. This additional information would require significant investment in computers and data processing facilities. Further, a...

(Item 4 from file: 15) 19/3,K/44

DIALOG(R)File 15:ABI/Inform(R)

(c) 2003 ProQuest Info&Learning. All rts. reserv.

01169336 98-18731

Spec and service for safety

Gelinas, Tom

Fleet Equipment v22n2 PP: 30-33 Feb 1996

ISSN: 0747-2544 JRNL CODE: FEQ

WORD COUNT: 1954

...TEXT: in which to react to unexpected objects.

High-tech safety

"One of the more recently available warning systems," Shimell reports, "consists of a small transmitter/ sender / receiver concealed in the front of the unit. This will alert drivers of anything in front of the vehicle and provides up to four seconds of extra...

(Item 5 from file: 15) 19/3,K/45

DIALOG(R)File 15:ABI/Inform(R)

(c) 2003 ProQuest Info&Learning. All rts. reserv.

01130411 97-79805

A balancing act

Anonymous

OECD Observer n196 PP: 21 Oct/Nov 1995

ISSN: 0029-7054 JRNL CODE: OED

WORD COUNT: 271

...TEXT: accountability might hamper the ability to seek redress in the event of, say, defamation since the sender would not be identifiable

* the right of a **sender** of a message to **anonymity** v. the right of the recipient not to receive unwanted messages, and the ensuing requirement for audit trails; using technological means to filter out some kinds of message may protect the...

(Item 6 from file: 15) 19/3,K/46

DIALOG(R)File 15:ABI/Inform(R)

(c) 2003 ProQuest Info&Learning. All rts. reserv.

00932861 95-82253

Collaborative computing's soft underbelly

Wood, Charles

Network World v1ln44 PP: SS9-SS13 Oct 31, 1994

ISSN: 0887-7661 JRNL CODE: NWW

WORD COUNT: 1683

...TEXT: is to be avoided.

Crypto-anarchy--a significant expansion of lawless behavior concealed using personal encryption systems--could be fostered by networks able to provide / receiver anonymity , message path untraceability, and blinded sender digital signatures.

Although still highly speculative, crypto-anarchy could have a profound effect on both society and business. (For more...

(Item 7 from file: 15) 19/3,K/47

DIALOG(R) File 15:ABI/Inform(R)

(c) 2003 ProQuest Info@Learning. All rts. reserv.

00861580 95-10972

realistically: Taking account of politics in internal Communicating business communications

Fimbel, Nancie

Journal of Business Communication v31nl PP: 7-26 Jan 1994

ISSN: 0021-9436 JRNL CODE: JBC

WORD COUNT: 8037

...TEXT: Figure 1 summarizes Steele's findings.) (Figure 1 omitted)

To return to Dulek and Fielden: They argue that the degree of political risk to the message sender should determine the organization, tone, and style of business messages . Their book assumes that the most risky messages are those that convey negative information about the sender or the sender 's actions to those with positional authority above the sender . Such messages may lead to a negative change in the receiver 's evaluation of the sender 's ability or even to the termination of the sender 's employment. By admitting to a mistake, for example, the sender risks the loss of the favorable impression he or she has established with the receiver , thereby jeopardizing an established power base and alignment with the more powerful person . Of course, not disclosing a mistake may lead to worse consequences for the organization, other employees, or the individual, and nondisclosure of

information is one characteristic of manipulation. Dulek and Fielden do not consider that the sender should withhold negative information. Rather, they recommend that especially risky (negative) messages written to superiors in the hierarchy should be organized "circuitously" (indirectly) or "semi-circuitously" should be designed to have a low impact on the audience

(Item 8 from file: 15) 19/3,K/48

DIALOG(R)File 15:ABI/Inform(R)

(c) 2003 ProQuest Info&Learning. All rts. reserv.

00854154 95-03546

Bellcore leads team effort to crack RSA encryption code

Messmer, Ellen

Network World vlln18 PP: 14 May 2, 1994 ISSN: 0887-7661 JRNL CODE: NWW

WORD COUNT: 623

...TEXT: private key is kept secret, and their unique public key is published. Whether implemented in hardware or software, public-key systems like RSA's let users encrypt documents to conceal their content. The sender scrambles a message with the receiver 's public key; the unscrambles it with his private key. Unlike private-key receiver

technology in which the sender and receiver share the same key, public key lets users sign electronic documents with digital signatures and, through a process called hashing, verify that documents they receive...

(Item 9 from file: 15) 19/3,K/49 DIALOG(R)File 15:ABI/Inform(R)

(c) 2003 ProQuest Info&Learning. All rts. reserv.

00607253 92-22356

The Three Faces of E-Mail

Nelson, Fritz; Karpis, Marios

InfoWorld v14n14 PP: 105-116 Apr 6, 1992

ISSN: 0199-6649 JRNL CODE: IFW

WORD COUNT: 12083

...TEXT: 2.0, the DaVinci Windows client, Version 1.8 (Version 2.0 is in the works), and MacAccess 1.0.

MESSAGING FEATURES

When addressing a message with DaVinci, you can choose from a subset of the master mail directory (a personal address list), personal groups of recipients , or select from the main directory. Address lists allow for mail aliases . Some of DaVinci's advanced message sending features allow you to set expiration dates on messages and deadlines for message responses. The sender can also specify which mail users will be included in any replies.

Users can attach multiple files to a DaVinci mail message. This process can

(Item 10 from file: 15) 19/3,K/50

DIALOG(R) File 15:ABI/Inform(R)

(c) 2003 ProQuest Info&Learning. All rts. reserv.

00364129 87-22963

Networks Without User Observability

Pfitzmann, Andreas; Waidner, Michael

Computers & Security v6n2 PP: 158-166 Apr 1987 ISSN: 0167-4048 JRNL CODE: CSC

 \dots ABSTRACT: anonymity is impossible, so reasonable models of possible attackers are needed. A definition of what must be kept hidden also is needed. Possibilities include: 1. recipient anonymity, 2. sender recipient unlinkability, and 3. sender anonymity . Performance, including transfer delay and throughput, must be maintained. The performance of these forms of anonymity depends on how they are physically implemented, which also...

(Item 1 from file: 674) 19/3,K/51 DIALOG(R) File 674: Computer News Fulltext

(c) 2003 IDG Communications. All rts. reserv.

068094

Hiding out on the Internet

Byline: Ellen Messmer and Denise Pappalardo Page Number: 1 Journal: Network World

Publication Date: August 10, 1998 Line Count: 73 Word Count: 805

Text:

identity on the 'Net isn't easy given that IP addresses Hiding your and domain names give clues about who and where you are. On top of that...

...up based here, wants to change that with new desktop software which will enable Internet users to keep their identities secret while Web browsing, sending \mathbf{e} - \mathbf{mail} and participating in chat sessions. While the Windows software could be put to criminal use, it might also attract companies that want to discretely conduct...

... get things rolling. While an enterprise could also host ZKS software on its servers, the start-up is counting on ISP support to create "an anonymity cloud" through which users can cruise the Internet without a trace, said Austin Hill, founder and president of ZKS and former chief technology officer of TotalNet."If you're a Chinese dissident posting messages for freedom, for instance, nobody is going to be able to go to an ISP and say we need your help tracking him down, "Hill said. "The ISPs can't be held responsible anymore for the actions of their users ."ZKS software in actionThe Anonymous IP Protocol enables users to select up to any of five different pseudonyms, while ZKS desktop software encrypts outgoing traffic and wraps it in User Datagram Protocol (UDP) packets...

... may degrade performance. At the final server, the output funnel in ZKS' parlance, traffic is spit out unencrypted with an IP address untraceable by the recipient . The process is known as onion routing, a technology that Hill said could end up as a request for comment at the Internet Engineering Task...

... services but aren't entirely comfortable with complete, untraceable anonymity. ZKS' technology appears as though it would make it next to impossible to track down **senders** of death threats, hate mail and other such traffic, said Michael O'Dell, vice president and chief scientist at UUNET Technologies, a WorldCom subsidiary. O...

...anonymity services such as those from www. anonymizer.com to do research on the World Wide Web for sensitive projects. If large numbers of Internet anonymity method, business on the end up adopting the ZKS Internet is certain to change dramatically, Effross said. That's because Web sites often collect as much data as they can...

(Item 1 from file: 696) 19/3,K/52 DIALOG(R) File 696: DIALOG Telecom. Newsletters (c) 2003 The Dialog Corp. All rts. reserv.

00610334

Thousands of daily junk e-mails threaten to congest Internet, COMMUNICATIONS DAILY

DOCUMENT TYPE: NEWSLETTER June 18, 1998

PUBLISHER: WARREN PUBLISHING INC.

RECORD TYPE: FULLTEXT WORD COUNT: 337 LANGUAGE: ENGLISH

(c) WARREN PUBLISHING INC. All Rts. Reserv.

Thousands of daily junk e - mails threaten to congest Internet,

force construction of new networks and raise cost of using service for consumers, Senate Communications Subcommittee hearing Wed. was told by lawmakers and panelists. Panelists generally agreed that unsolicited bulk $\, e \, - \, mail \,$, which they said represents 30% of all e - mail traffic, is among "most serious" issues facing Internet. They also expressed concern that many spammers hide their identities , falsify return addresses , refuse to stop sending e - mails upon request. FTC Comr. Sheila Anthony said agency's e - mail basket where consumers can forward fraudulent junk e - mail has collected more than 100,000 messages and receives 1,500 daily. America Online Assoc. Gen. Counsel Randall Boe said "problem is not just that junk e - mail tends to promote hoaxes, scams and get-rich schemes, it is the sheer volume that confronts many users every time they open their mailbox." Another problem is that costs are paid by receiver -- not sender -- unlike traditional junk mail. Commercial e - mailers can send thousands of messages inexpensively and consumers bear cost through more time spent online or higher monthly charges. But lawmakers and panelists, while agreeing that spamming restrictions in antislamming...

...and Chmn.

Burns (R-Mont.) agreed. Center for Democracy & Technology Council Deirdre Mulligan praised bill as good first step, but worried that "definition of commercial ${\bf e}$ - ${\bf mail}$ is overbroad and may unconstitutionally prohibit anonymous, noncommercial speech." Rep. Smith (R-N.J.), who testified, advocated more spamming curbs and promoted proposed Netizens Protection Act (HR-1748) that would extend antijunk fax law to spam. He was supported by Ray Everett-Church of Coalition Against Unsolicited Commercial ${\bf E}$ - ${\bf mail}$.

19/3,K/53 (Item 2 from file: 696)
DIALOG(R)File 696:DIALOG Telecom. Newsletters
(c) 2003 The Dialog Corp. All rts. reserv.

00581921

Industry Group Backs Voluntary Internet Privacy Guidelines

Telecommunications Reports

December 15,1997 VOL: 63 ISSUE: 50 DOCUMENT TYPE: NEWSLETTER

PUBLISHER: BRP PUBLICATIONS

LANGUAGE: ENGLISH WORD COUNT: 897 RECORD TYPE: FULLTEXT

(c) BRP PUBLICATIONS All Rts. Reserv.

TEXT:

...ITI explained that some services allow consumers to surf the Web anonymously by retrieving requested documents from a Web site without revealing the identity of the requester. Anonymous remailer services allow e - mail to be sent to a person or news group without the recipient 's knowing the name or the e - mail address of the sender. This service can be used to stop harassment and "spamming." ...

19/3,K/54 (Item 1 from file: 369)
DIALOG(R)File 369:New Scientist
(c) 2003 Reed Business Information Ltd. All rts. reserv.

00104173 14519682.500 (USE FORMAT 7 OR 9 FOR FULLTEXT)

Identity crisis on the Internet: Well-connected Internet users who distribute secret or sensitive information without revealing their names

The state of the s

are playing havoc with national laws

ARTHUR, CHARLES

New Scientist, vol. 145, no. 1968, p. Page 14

March 11, 1995

LANGUAGE: English RECORD TYPE: Fulltext DOC. TYPE: Journal

WORD COUNT: 1862

(USE FORMAT 7 OR 9 FOR FULLTEXT)

TEXT:

...to the Internet that forwards electronic mail or files to other addresses on the network. But it also strips off the "header" part of the messages, which shows where they came from and who sent them. All the receiver can tell about a message 's origin is that it passed through the remailer. Some remailers also allocate each sender an "anonymous II", rather like a PO box number, which it stores with the sender 's address so that any replies reach them.

These anonymous remailers were invented by security experts interested in whether it was possible to send a...

19/3,K/55 (Item 1 from file: 813)

DIALOG(R) File 813: PR Newswire

(c) 1999 PR Newswire Association Inc. All rts. reserv.

1392804 LAW041

All I Want for Christmas is a Safe PC...

DATE: December 16, 1998 08:02 EST WORD COUNT: 583

... newly acquired eSafe Protect line of "Gateway-to-Desktop" software security solutions protects both the PC and the network from the recent and harmful, holiday email vandals. These vandals come in the form of unsuspecting holiday greetings, but do much more than spread seasonal joy. One example steals documents from your hard drive, then emails the documents to an anonymous Hotmail address -- all without the recipient 's, and the sender 's, knowledge.

"These days, you'd be hard pressed to find one person who hasn't received, and sent, an electronic holiday greeting via email...

19/3,K/56 (Item 1 from file: 810)

DIALOG(R) File 810: Business Wire

(c) 1999 Business Wire . All rts. reserv.

0868249 BW1245

PRO LIFE UNION: Department of Public Welfare Subsidizes Planned Parenthood Marketing Campaign with Unauthorized State Funds

June 18, 1998

Byline:

Business Editors

 \dots a 1-800 number at the DPW. When used, callers were told to contact Planned Parenthood.

In January, 1998, another mailing was sent to Medicare

recipients . The envelope did not identify the sender . Inside was a

Planned Parenthood brochure showing a 1-800 number. When used, the caller was automatically linked to the nearest Planned Parenthood entity, the...